

SAFETY DATA SHEET

CLAYBENT200US35

VERSION NO. 1

BENTONITE CLAY #2

Prepared to US OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

1 PRODUCT AND COMPANY IDENTIFICATION

| 1.1 Trade Name (as labeled): | BENTONITE CLAY #2 |
|---|---|
| Botanical Name: | N/A |
| INCI Name: | Bentonite |
| Synonyms: | N/A |
| CAS No: | 1302-78-9 |
| EINECS No: | 215-108-5 |
| FEMA No: | Not available |
| <u>1.2 Product Use:</u> | Personal Care Formulations |
| | |
| 1.3 Company Name: | Natural Sourcing, LLC. |
| 1.3 Company Name: Company Address: | Natural Sourcing, LLC. 341 Christian Street, Oxford, CT 06478, USA |
| | |
| Company Address: | 341 Christian Street, Oxford, CT 06478, USA |
| Company Address: Business Phone: | 341 Christian Street, Oxford, CT 06478, USA (800) 340-0080 |
| Company Address: Business Phone: Website: | 341 Christian Street, Oxford, CT 06478, USA (800) 340-0080 <u>www.naturalsourcing.com</u> |
| Company Address: Business Phone: Website: Email: | 341 Christian Street, Oxford, CT 06478, USA (800) 340-0080 <u>www.naturalsourcing.com</u> info@naturalsourcing.com |

2 HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a light tan to gray powder with no odor.

Health Hazards: Causes damage to lungs through prolonged or repeated exposure via inhalation

Flammability Hazards: Not flammable.

Reactivity Hazards: None.

Environmental Hazards: Release of this product may cause adverse effects in the environment.

US DOT Symbols:

EU and GHS Symbols:

Signal Word:

Non-Regulated Material

Danger!

2.1 EU Labeling and Classification:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

| 2.2 Label Elements: | Ci ystainie Onica, Qualtz |
|-----------------------------|---|
| GHS Hazard Classifications: | Carcinogenicity Category 1 Specific Target Organ Toxicity – Repeated Exposure Category 1 |
| Hazard Statements: | H350 May cause cancer H372 Causes damage to lungs through prolonged or repeated exposure via inhalation |

| Prevention Statements: | P201 Obtain special instructions before use. |
|------------------------|--|
| | P202 Do not handle until safety precautions have been read and |
| | understood. |
| | P260 Do not breath dust. |
| | P264 Wash skin thoroughly after handling. |
| | P270 Do not eat, drink or smoke when using this product. |
| Response Statements: | P314 Get medical advice/attention if you feel unwell. |
| Storage Statements: | P405 Store locked up |
| Disposal Statements: | P501 Dispose of contents / container in accordance with local / regional / national / international regulations. |
| | |

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by inhalation. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: Long term exposure to crystalline silica can cause lung injury (silicosis). IARC and NTP have determined that crystalline silica inhaled from occupational sources can cause cancer in humans. Risk of injury is dependent on the duration and level of exposure.

Skin Contact: None expected when used under normal conditions.

Eye Contact: Direct contact with the eyes is likely irritating.

Ingestion: If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

Chronic: May cause cancer or lung damage.

Target Organs:

Acute: No data available.

Chronic: Respiratory system

3 COMPOSITION / INFORMATION ON INGREDIENTS

| 3.1 Type of Product: Natural | Sourcing Cosm | etic Clays | | |
|------------------------------|---------------|------------|------------|---------------------------|
| Ingredients: | WT% | CAS No. | EINECS No. | Hazard Classification |
| Crystalline Silica, Quartz | <6% | 14808-60-7 | 238-878-4 | Carc Cat 1, STOT RE Cat 1 |

| 4 FIRST AID MEASURES | |
|---|--|
| 4.1 Description of First Aid Measures: | |
| Eye Contact: | If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Seek medical attention if irritation persists. |
| Skin Contact: | Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists. |
| Inhalation: | If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention. |
| Ingestion: | If product is swallowed, call physician or poison center if you feel unwell. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional. |
| Medical Conditions Generally Aggravated by Exposure: | No data available |
| 4.2 Symptoms and Effects Both Acute and Delayed: | None expected under normal conditions of use. |
| 4.3 Recommendations to Physicians: | Treat symptoms and eliminate overexposure. |

| <u>Fire Extinguishing Materials:</u> Use the following fire extinguishing materials: | Water Spray: Yes | | Carbon Dioxide: | Yes | |
|--|--|---|---|---|--|
| eee the following me extinguishing matchais. | Foam: Yes | | Dry Chemical: Y | | |
| | Halon: Yes | | Other: Any "A, B | | |
| 2 Unusual Fire and Explosion Hazards: | | | | | |
| Avoid inhalation of dust. | | | | | |
| Explosive Sensitivity to Mechanical Impact: | No | | | | |
| Explosive Sensitivity to Static Discharge: | No | | | | |
| <u>3 Special Fire-Fighting Procedures:</u> | Incipient fire response Structural firefight (SCBA) and full provide the second field Isolate materials in Move containers from otherwise, cool with If possible, prevent water, or other envide | ters must wear S tective equipmer not yet involved in om fire area if this n carefully applied nt run-off water fr | elf-Contained Brea nt. n the fire and proto s can be done with d water spray. rom entering storm | athing Appara ect personnel. nout risk; | |
| NFPA RATING SYSTEM | HAZARDO | HMIS RATIN | IG SYSTEM DENTIFICATION | SYSTEM | |
| Flammability | HEALTH HAZ | | | 1 | |
| 0 | FLAMMABILI | TY HAZARD (RE | ED) | 0 | |
| Health 1 0 Reactivity | PHYSICAL H | ZARD (YELLO | N) | 0 | |
| | | PROTECTIVE | EQUIPMENT | | |
| \setminus | EYES | RESPIRATORY | HANDS | BODY | |
| | | | | | |

6 ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

Large Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7 HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Minimize dust generation and accumulation. If excessive dust is generated, provide adequate ventilation and use proper respiratory and personal protective equipment.

7.2 Storage and Handling Practices:

Store in a cool and well-ventilated place.

7.3 Specific Uses:

Personal care formulations.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

| Ingredients | CAS No. | OSHA PEL | NIOSH PEL |
|-------------|------------|---|------------------------|
| Quartz | 14808-60-7 | 0.05 mg/m ³ 10mg/m ³ / %SiO2+2 | 0.05 mg/m ³ |

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

| Respiratory Protection: | Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states. |
|-------------------------|---|
| Eye Protection: | Safety glasses or goggles are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. |
| Hand Protection: | Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. |
| Body Protection: | Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136. |

9 PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 Information on Basic Physical and Chemical Properties: |
|---|
| Appearance (Physical State and Color): This product is a light tan to gray powder |
| Odor: Odorless |
| Odor Threshold: Not Available |
| pH: 8 - 10 (5% slurry in water) |
| Melting/Freezing Point: Not Available |
| Boiling Point: Not Available |
| Flash Point: Not Available |
| |

- Evaporation Rate: Not Available Flammability (Solid; Gas): Not Available Upper/Lower Flammability or Explosion Limits: Not Available Vapor Pressure (mm Hg @ 20°C (68°F): Not Available Vapor Density: Not Available Relative Density: Not Available Specific Gravity: 2.45 – 2.55 Solubility in Water: Negligible Weight per Gallon: Not Available Partition Coefficient (n-octanol/water): Not Available Auto-Ignition Temperature: Not Available Decomposition Temperature: >900 C Viscosity: Not Available 9.2 Other Information: No data available
- 10 STABILITY AND REACTIVITY

| 10.1 Reactivity: | This product is not reactive. |
|--|--|
| 10.2 Stability: | Stable under conditions of normal storage and use. |
| 10.3 Possibility of Hazardous Reactions: | None known. |
| 10.4 Conditions to Avoid: | Dusting conditions. |
| 10.5 Incompatible Substances: | No data available. |
| 10.6 Hazardous Decomposition Products: | None known. |
| | |

11 TOXICOLOGICAL INFORMATION 11.1 Information on Toxicological Effects: Suspected Cancer Agent: Suspected Cancer Agent: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies Irritancy: May cause eye irritation with direct contact. Sensitization to the Product: This product is not expected to cause skin sensitization. No specific information is available concerning the effects of this product and its components on the human reproductive system. 12 ECOLOGICAL INFORMATION

12.1 Toxicity:No specific data available on this product.12.2 Persistence and Degradability:No specific data available on this product.12.3 Bioaccumulative Potential:No specific data available on this product.12.4 Mobility in Soil:No specific data available on this product.12.5 Results of PBT and vPvB Assessment:No specific data available on this product.12.6 Other Adverse Effects:No data available12.7 Water Endangerment Class:At present, there are no ecotoxicological assessments for this product.

13 DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

13.2 EU Waste Code:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

None applicable.

14 TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

| UN Identification Number: | None |
|--|---|
| Proper Shipping Name: | Not Regulated |
| Hazard Class Number and Description: | None |
| Packing Group: | None |
| DOT Label(s) Required: | None |
| North American Emergency Response Guidebook Number: | None |
| RQ Quantity: | None |
| 14.2 Environmental Hazards: | |
| Marine Pollutant: | The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B). |
| 14.3 Special Precaution for User: | None known |
| 14.4 International Air Transport Association Shipping Information (IATA): | This product is not considered as dangerous goods. |
| <u>14.5 International Maritime Organization Shipping</u> Information (IMO): | This product is not considered as dangerous goods. |
| 14.6 Transport in Bulk According to Annex II of Marpol 73 | 3/78 and IBC Code: |
| European Agreement Concerning the International | This product is not considered by the United Nations Economic |

Carriage of Dangerous Goods by Road (ADR:)

Commission for Europe to be dangerous goods.

15 REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

U.S. SARA Threshold Planning Quantity:

There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20. **U.S. CERCLA Reportable Quantity:**

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

WARNING: Mica is not listed, however this product supplied can expose you to chemicals including crystalline silica (airborne particles of respirable size) which has been identified by the State of California to cause cancer. For more information go to www.P5Warnings.ca.gov.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is classified per WHMIS Hazardous Product Regulations.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

WGK Classification:

Class (D): 2- water contaminating

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows: Australian Inventory of Chemical Substances (AICS): Listed Korean Existing Chemicals List (ECL): Listed Japanese Existing and New Chemical Substances (ENCS): Listed Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed U.S. TSCA: Listed

16 ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: October 3, 2022

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Natural Sourcing, LLC. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Natural Sourcing, LLC assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET